


Risk Of Lymphoma In IBD Patients

Ten Thousand People


— pictures to help you see your odds



Risk Of Lymphoma With Azathioprine (Imuran®)

Ten Thousand People


— pictures to help you see your odds



Risk Of Lymphoma With Anti-TNF

Ten Thousand People


— pictures to help you see your odds



Risk Of Lymphoma With Azathioprine (Imuran®) + Anti-TNF Therapy

Ten Thousand People


– pictures to help you see your odds



Risk Of Needing Emergency Treatment In The Next Year After Being Injured By A Bed Mattress

Ten Thousand People

— pictures to help you see your odds




The Pelling Palettes® of 10,000 People • Risk Communication Format © John Pelling 2001 • See www.riskcomm.com

We can only show you estimates. It is impossible to be certain whether your results will be positive or negative.

Risk Of Dying From An IBD Emergency Operation

Ten Thousand People
— pictures to help you see your odds




The Pelling Palette® of 10,000 People • Risk Communication Format © John Pelling 2001 • See www.riskcomm.com

We can only show you estimates. It is impossible to be certain whether your results will be positive or negative.

Risk Of Dying In A Car Accident, Over 50 Years Of Driving

Ten Thousand People

– pictures to help you see your odds



The Pelling Palettes® of 10,000 People • Risk Communication Format © John Pelling 2001 • See www.riskcomm.com

We can only show you estimates. It is impossible to be certain whether your results will be positive or negative.